

AMAZING THINGS ARE HAPPENING
WHEN YOU ARE COMMITED IN
SAVING LIFFE-





ABOUT US




• FTS - UAE, is a pioneer in cleanroom design, construction and installation company. We offer start-to-finish (turnkey) cleanroom solutions to Medical device manufacturing, Aerospace/Aviation, defense, cosmetics, food, semiconductor & any industry which requires cleanroom/controlled environments.

From start to finish & everything in between

- Over the last 17 years, we've done more than 400 installations having a presence in more than 53 countries.
- Having a presence in 53 countries, we are a Powerhouse of life engineering.

APPLICATIONS:

FTSLifecare



CLEANROOM SOLUTIONS

FTSLifecare

Modular Partitions









Modular - Internal infrastructure



A state of the art manufacturing / facility of 12000 sq. ft. at Umergaon, 140 Km from Mumbai.

FTS cleanroom Panels are certified by Dubai Civil Defence for 120 minutes fire rating









Modular - Cleanroom Panels



Standard walls are a composite construction of two skins of PCGI/PCGI over an GI framework with a sealed and insulated interior of Rockwool

Standard panel dimensions are 985mm. Standard panels have an overall thickness of 75 mm.





Modular - VIEW PANEL

Flush view panels on wall designed to fit flush into wall panel with 6mmx2(thickness) toughened glass with all necessary arrangement. Glass Included.





Modular - RISERS

Built In HVAC Riser Panel Both Side GI Sheet prefabricated insulated sandwich HVAC riser panel with .8mm cold rolled powder coated GI sheet Insulation ROCKWOOL with air tight perforated sheet in 18 G.






Modular - COVINGS & WALL CONNECTIONS


COVINGS: Base + Ceiling Runner and Wall To Ceiling Coving and vertical covings For Double Skin Panel.

Two way coving with Coved Profile
Floor rough coving Inside Corner (1/4 Sphere).














CLEANROOM SOLUTIONS

FTSLifecare

Cleanroom Doors









Modular - CLEANROOM DOORS



Doors are designed to fit flush into the wall panel system on both sides and are supplied in different dimensions. Single door made of Polyurethane painted Shutter has sheet thickness of 0.8mm and the frame has thickness of 1.2mm. External frame made of mild steel.





Modular - DOOR ACCESSORIES



Accessories:

- Stainless steel hinges.
- Stainless Steel 'D' type of handles on pull side.
- Stainless steel push plates on push side.
- Kick Plate wherever Required.
- Both side key operated locking arrangement.
- Automatic door bo
- ttom seal at the bottom.
- View panel along with self adhesive tape and silicon sealant.













Modular - INTERLOCKING SYSTEM



- Micro controller based controller unit.
- Push button modules with GO, WAIT digital massage display.
- Emergency Button
- Electro magnetic locks with reed switch sensors (24V/250MA)
- Aluminum Chambers for EM locks





HVAC Systems:



Our Cleanroom systems (HVAC) are designed and manufactured to deliver optimal heating, cooling and ventilation for cleanroom operations in any industry that requires superior contaminant control.

We control the end to end process inhouse – from design, engineering, installation, commissioning and qualification.

This helps prevent costly errors caused by coordination challenges associated with multiple contractors.

Our systems are heavy-duty, energy-efficient, low maintenance and meet the stringent regulatory requirements of all major global agencies.



Modular - EPOXY/VINYL FLOORING



Vinyl Flooring covering, Fire resistant, conductivity approx 10 to power 6 ohms or better. Material thickness 2mm, antiskid, light resisting, resistant against acid & alkaline solutions.





CLEANROOM EQUIPMENT:-





LAMINAR AIR FLOW UNIT

AIR/MIST SHOWER

STATIC & DYNAMIC PASS BOX

SAMPLING / DISPENSING BOOTH



LAMINAR AIR FLOW UNIT







Performance: Air Cleanliness- ISO Class 5 [ISO 14644-1:1999 (E)]; Air Velocity- 0.45 ± 0.05 Mps.

AIR/MIST SHOWER







Performance: Air Cleanliness- ISO Class 5 [ISO 14644-1:1999 (E)]; Air Velocity- 0.45 ± 0.05 Mps.

STATIC/DYNAMIC PASS BOX







Performance: Air Cleanliness- ISO Class 5 [ISO 14644-1:1999 (E)]; Air Velocity- 0.45 ± 0.05 Mps.

SAMPLING/DISPENSING BOOTH





Performance: Air Cleanliness- ISO Class 5 [ISO 14644-1:1999 (E)]; Air Velocity- 0.45 ± 0.05 Mps.

Validation Services:-







At FTS Lifecare we provide a complete range of cleanroom validation services (HVAC and Cleanroom).

The validation ensures that the equipment and environment are functioning as per the defined guidelines and standards.

GELTECH,UAE











WOCKHARDT BIO AG, UAE











CENTRIC COMPOUNDING PHARMACY, UAE















GASKET MANUFACTURING, UAE

FTSLifecare













OASIS FOR UNITES ENTERPRISES, OMAN










AL RAHA HOSPITAL, UAE












UNIVERSAL HOSPITAL, UAE











BURJEEL HOSPITAL, UAE














TAQNIYA - AVIATION

FTSLifecare











TAQNIYA - AVIATION

FTSLifecare














DESIGN & BUILD

PROJECT MANAGEMENT

CLEANROOM SOLUTION

DRDO - DEFENCE

FTSLifecare











PROJECT REFERENCES (PHARMA)



































PROJECT REFERENCES (HEALTHCARE)































PROJECT REFERENCES (NON-PHARMA)

































PROJECT REFERENCES (NON-PHARMA)































THANK YOU!

FTSLifecar

Regional Office:

9

Address: 804, Shadow Tower, Al Mamzar Corniche, Sharjah, UAE

Tel No.: +971 6 577 2230

Email: info@ftslifecare.com

Website: www.ftslifecare.com

